

Page 1 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.09.2020 / 0004 Replacing version dated / version: 06.05.2018 / 0003 Valid from: 30.09.2020 PDF print date: 08.02.2021 Handreiniger fluessig

# Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifier**

# Handreiniger fluessig

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Cosmetic preparation

അ

Sector of use [SU]:

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC39 - Cosmetics, personal care products

Process category [PROC]:

PROC 1 - Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. PROC 2 - Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC 8b - Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC 9 - Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC19 - Manual activities involving hand contact

Article Categories [AC]:

AC99 - Not required.

Environmental Release Category [ERC]:

ERC 4 - Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC 7 - Use of functional fluid at industrial site

ERC 8a - Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC 8d - Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

## Uses advised against:

No information available at present.

## 1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

## 1.4 Emergency telephone number Emergency information services / official advisory body:

**Telephone number of the company in case of emergencies:** +49 (0) 700 / 24 112 112 (LMR)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture



Page 2 of 15

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.09.2020 / 0004 Replacing version dated / version: 06.05.2018 / 0003 Valid from: 30.09.2020 PDF print date: 08.02.2021 Handreiniger fluessig

## Classification according to Regulation (EC) 1272/2008 (CLP)

Cosmetics regulations are to be applied.

## 2.2 Label elements

## Labeling according to Regulation (EC) 1272/2008 (CLP) Not applicable

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

## **SECTION 3: Composition/information on ingredients**

INCI:

AQUA, ZEA MAYS COB MEAL, SODIUM LAURETH SULFATE, COCONUT ACID, LAURETH-2, TRIDECETH-7, CI 77891, SODIUM C13-17 ALKANE SULFONATE, COCAMIDOPROPYL BETAINE,

XANTHAN GUM, CELLULOSE GUM, ACRYLATES/C10-C30 ALKYL ACRYLATE CROSSPOLYMER, PARFUM, PROPYLENE GLYCOL, BENZYL ALCOHOL, METHYLISOTHIAZOLINONE, METHYLCHLOROISOTHIAZOLINONE

#### 3.1 Substances

n.a. 3 2 Mixtures

Icohols, C12-14, ethoxylated, sulfates, sodium salts	Substance with specific conc. limit(s) acc. to REACh-
	registration
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	500-234-8 (NLP)
CAS	68891-38-3
content %	1-<5
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	Aquatic Chronic 3, H412
Alcohols, C12-14, ethoxylated	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	
CAS	68439-50-9
content %	1-<2.5
Classification according to Regulation (EC) 1272/2008 (CLP)	Eye Dam. 1, H318
Classification according to Regulation (EC) 1212/2008 (CLP)	Aquatic Acute 1, H400 (M=1)
	Aquatic Chronic 3, H412
	Aqualic Chronic 5, H412
Isotridecanol, ethoxylated	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	
CAS	9043-30-5
content %	1-<2,5
Classification according to Regulation (EC) 1272/2008 (CLP)	Eye Dam. 1, H318
Titanium dioxide (in powder form containing 1 % or more of particles	
with aerodynamic diameter <= 10 μm)	
Registration number (REACH)	01-2119489379-17-XXXX
Index	022-006-002
EINECS, ELINCS, NLP	236-675-5
CAS	13463-67-7
content %	0,1-<1
Classification according to Regulation (EC) 1272/2008 (CLP)	Carc. 2, H351 (as inhalation)



Page 3 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.09.2020 / 0004 Replacing version dated / version: 06.05.2018 / 0003 Valid from: 30.09.2020 PDF print date: 08.02.2021 Handreiniger fluessig

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16. The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

ആ

Not required.

#### Skin contact

Wash in water. No special measures required.

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water. Give water to drink.

Medical attention necessary.

#### Danger of aspiration.

#### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

## 4.3 Indication of any immediate medical attention and special treatment needed

n.c.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

## Water jet spray/foam/CO2/dry extinguisher

## Unsuitable extinguishing media

#### None known

## 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Toxic gases Fume Oxides of sulphur Oxides of nitrogen Metal oxides

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

No special measures required. Avoid contact with eyes or skin. If applicable, caution - risk of slipping.



Page 4 of 15

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.09.2020 / 0004 Replacing version dated / version: 06.05.2018 / 0003 Valid from: 30.09.2020 PDF print date: 08.02.2021 Handreiniger fluessig

## **6.2 Environmental precautions**

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13. Or:

Pick up mechanically and dispose of according to Section 13.

Flush residue using copious water.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

**SECTION 7: Handling and storage** 

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

## 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Avoid contact with eyes.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

## 7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

## 7.3 Specific end use(s)

See section 1.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

(B) Chemical Name	Titanium dioxide (in powder form containing 1 % or more of part aerodynamic diameter <= 10 $\mu$ m)	cles with Content %:0,1-<1
WEL-TWA: 10 mg/m3 (total inhala	ble dust), 4 mg/m3 WEL-STEL:	
(respirable dust)		
Monitoring procedures:		
BMGV:	Other inf	rmation:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts									
Area of application	Exposure route /	Effect on health	Descriptor	Value	Unit	Note			
	Environmental								
	compartment								
	Environment - freshwater		PNEC	0,24	mg/l				
	Environment - periodic		PNEC	0,13	mg/l				
	release								
	Environment - marine		PNEC	0,024	mg/l				
	Environment - sediment,		PNEC	5,45	mg/kg dry				
	freshwater				weight				
	Environment - sediment,		PNEC	0,545	mg/kg dry				
	marine				weight				
	Environment - sewage		PNEC	10000	mg/l				
	treatment plant				-				
	Environment - soil		PNEC	0,946	mg/kg dry				
					weight				



Page 5 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.09.2020 / 0004 Replacing version dated / version: 06.05.2018 / 0003 Valid from: 30.09.2020 PDF print date: 08.02.2021 Handreiniger fluessig

ആ

	Environment - sporadic (intermittent) release		PNEC	0,071	mg/l	
	Environment - sediment, freshwater	Short term	PNEC	0,917	mg/kg	
	Environment - sediment, marine	Short term	PNEC	0,092	mg/kg	
	Environment - soil	Short term	PNEC	7,5	mg/kg	
Consumer	Human - dermal	Long term, local effects	DNEL	0,079	mg/cm2	
Consumer	Human - oral	Long term, systemic effects	DNEL	15	mg/kg bw/day	
Consumer	Human - dermal	Long term, systemic effects	DNEL	1650	mg/kg bw/day	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	52	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	2750	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	175	mg/m3	
Workers / employees	Human - dermal	Long term, local effects	DNEL	0,132	mg/cm2	

Titanium dioxide (in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm)							
Area of application	Exposure route / Environmental	Effect on health	Descriptor	Value	Unit	Note	
	compartment						
	Environment - freshwater		PNEC	0,184	mg/l		
	Environment - marine		PNEC	0,0184	mg/l		
	Environment - water, sporadic (intermittent) release		PNEC	0,193	mg/l		
	Environment - sewage treatment plant		PNEC	100	mg/l		
	Environment - sediment, freshwater		PNEC	1000	mg/kg dw		
	Environment - sediment, marine		PNEC	100	mg/kg dw		
	Environment - soil		PNEC	100	mg/kg dw		
	Environment - oral (animal feed)		PNEC	1667	mg/kg feed		
Consumer	Human - oral	Long term, systemic effects	DNEL	700	mg/kg bw/d		
Workers / employees	Human - inhalation	Long term, local effects	DNEL	10	mg/m3		

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU), 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

## 8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.



Page 6 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.09.2020 / 0004 Replacing version dated / version: 06.05.2018 / 0003 Valid from: 30.09.2020 PDF print date: 08.02.2021 Handreiniger fluessig

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

## 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Normally not necessary.

ആ

Skin protection - Hand protection:

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Normally not necessary.

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

## 8.2.3 Environmental exposure controls

No information available at present.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state:	Paste, liquid.
Colour:	Beige
Odour:	Orange
Odour threshold:	Not determined
pH-value:	4,1-5,0
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	~100 °C
Flash point:	>100 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	n.a.
Lower explosive limit:	n.a.
Upper explosive limit:	n.a.
Vapour pressure:	~23,4 mbar (20°C)
Vapour density (air = 1):	Not determined
Density:	0,8-0,95 (relative density)
Bulk density:	n.a.
Solubility(ies):	Not determined
Water solubility:	partially
Partition coefficient (n-octanol/water):	Not determined



Page 7 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.09.2020 / 0004 Replacing version dated / version: 06.05.2018 / 0003 Valid from: 30.09.2020 PDF print date: 08.02.2021 Handreiniger fluessig

Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidising properties:

œ

## 9.2 Other information

Miscibility: Fat solubility / solvent: Conductivity: Surface tension: Solvents content: Not determined Not determined 8000-28000 Product is not explosive. No

Not determined Not determined Not determined Not determined 0 % (Organic solvents )

## **SECTION 10: Stability and reactivity**

## **10.1 Reactivity**

Not to be expected

## 10.2 Chemical stability

Stable with proper storage and handling.

## 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

See also section 7. None known

## 10.5 Incompatible materials

None known

#### **10.6 Hazardous decomposition products**

No decomposition when used as directed.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts							
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes	
Acute toxicity, by oral route:	LD50	4100	mg/kg	Rat	OECD 401 (Acute Oral		
					Toxicity)		
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat	OECD 402 (Acute		
					Dermal Toxicity)		
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Skin Irrit. 2	
					Dermal		
					Irritation/Corrosion)		



Page 8 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.09.2020 / 0004 Replacing version dated / version: 06.05.2018 / 0003 Valid from: 30.09.2020 PDF print date: 08.02.2021 Handreiniger fluessig

œ.

Serious eye damage/irritation:		>=10	%	Rabbit	OECD 405 (Acute Eye	Eye Dam. 1
					Irritation/Corrosion)	
Serious eye damage/irritation:		>=5	%	Rabbit	OECD 405 (Acute Eye	Eye Irrit. 2
					Irritation/Corrosion)	
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not sensitizising
sensitisation:					Sensitisation)	-
Germ cell mutagenicity:					OECD 471 (Bacterial	Negative
					Reverse Mutation Test)	-
Germ cell mutagenicity:					OECD 475 (Mammalian	Negative
					Bone Marrow	
					Chromosome	
					Aberration Test)	
Germ cell mutagenicity:					OECD 476 (In Vitro	Negative
5 ,					Mammalian Cell Gene	
					Mutation Test)	
Reproductive toxicity:	NOAEL	>1000	mg/kg	Rat	OECD 414 (Prenatal	Negative,
					Developmental Toxicity	References
					Study)	
Reproductive toxicity:	NOAEL	>300	mg/kg	Rat	OECD 416 (Two-	Negative,
					generation	References
					Reproduction Toxicity	
					Study)	
Aspiration hazard:						No
Symptoms:						mucous
						membrane
						irritation
Specific target organ toxicity -	NOAEL	>225	mg/kg	Rat	OECD 408 (Repeated	Target organ(s)
repeated exposure (STOT-RE),					Dose 90-Day Oral	liver, Reference
oral:					Toxicity Study in	
					Rodents)	

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	> 2000	mg/kg	Rabbit		
Skin corrosion/irritation:						Not irritant
Serious eye damage/irritation:						Risk of serious
						damage to eyes
Respiratory or skin						Not sensitizising
sensitisation:						

Isotridecanol, ethoxylated						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit		
Skin corrosion/irritation:				Rabbit		Not irritant
Serious eye damage/irritation:						Risk of serious damage to eyes.
Respiratory or skin sensitisation:						Not sensitizising
Symptoms:						drying of the skin.

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 425 (Acute Oral	
					Toxicity - Up-and-Down	
					Procedure)	
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit		
Acute toxicity, by inhalation:	LD50	>6,8	mg/l/4h	Rat		
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosion)	



Page 9 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.09.2020 / 0004 Replacing version dated / version: 06.05.2018 / 0003 Valid from: 30.09.2020 PDF print date: 08.02.2021 Handreiniger fluessig

œ

Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant, Mechanical irritation possible
Respiratory or skin sensitisation:				Mouse	OECD 429 (Skin Sensitisation - Local Lymph Node Assay)	Not sensitizising
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact)
Germ cell mutagenicity:				Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Germ cell mutagenicity:				Salmonella typhimurium	(Ames-Test)	Negative
Germ cell mutagenicity:					OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative
Germ cell mutagenicity:					OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Reproductive toxicity (Developmental toxicity):				Rat	OECD 414 (Prenatal Developmental Toxicity Study)	No indications of such an effect.
Specific target organ toxicity - single exposure (STOT-SE):						Not irritant (respiratory tract
Symptoms:						mucous membrane irritation, coughing, respiratory distress, drying of the skin.
Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOAEL	3500	mg/kg/d	Rat		90d
Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.:	NOAEC	10	mg/m3	Rat		90d

## **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

Handreiniger nuessig							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to daphnia:							n.d.a.
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Other adverse							n.d.a.
effects:							
Other information:							According to the
							recipe, contains
							no AOX.



Page 10 of 15 Safety data sheet accordir Revision date / version: 30 Replacing version dated / Valid from: 30.09.2020 PDF print date: 08.02.202 Handreiniger fluessig	).09.2020 / 0004 version: 06.05.20			nex II			
Other information:							DOC-elimination degree(complex ng organic substance)>= 80%/28d: n.a.
Alcohols, C12-14, ethoxy	/lated. sulfates.	sodium sa	alts				
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	7,1	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	NOEC/NOEL	28d	0,1	mg/l	Oncorhynchus mykiss	OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,27	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to daphnia:	EC50	48h	7,2	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	NOEC/NOEL	96h	0,95	mg/l		OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	EC50	72h	27,7	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	95	%		OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	Readily biodegradable
12.2. Persistence and degradability:		28d	>70	%		OECD 301 A (Ready Biodegradability - DOC Die-Away Test)	Readily biodegradable
12.2. Persistence and degradability:	DOC	28d	100	%	activated sludge	Regulation (EC) 440/2008 C.4-C (DETERMINATIO N OF 'READY' BIODEGRADABILI TY - CO2 EVOLUTION TEST)	Readily biodegradable
12.3. Bioaccumulative potential:	BCF		-1,38			- /	Low
12.4. Mobility in soil: 12.5. Results of PBT	Koc		191				calculated value
and vPvB assessment	5050	4.01	40	/1	Drauda		substance
Toxicity to bacteria:	EC50	16h	>10	g/l	Pseudomonas putida	DIN 38412 T.8	

Alcohols, C12-14, ethoxy	lated						
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	0,1-1	mg/l	Brachydanio rerio		
12.1. Toxicity to daphnia:	EC50	48h	0,1-1	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	0,1-1	mg/l	Desmodesmus		
					subspicatus		



Page 11 of 15 Safety data sheet accordi Revision date / version: 30 Replacing version dated / Valid from: 30.09.2020 PDF print date: 08.02.202 Handreiniger fluessig	0.09.2020 / 0004 version: 06.05.201		nnex II		
12.2. Persistence and degradability:		>60	%	OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents., Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or a the request of a detergent manufacturer.
12.5. Results of PBT and vPvB assessment					No PBT substance, No vPvB substance

œ

oxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
2.1. Toxicity to fish:	LC50	96h	1-10	mg/l	Cyprinus caprio	OECD 203 (Fish,	
						Acute Toxicity	
						Test)	
12.1. Toxicity to fish:	LC50	96h	1-10	mg/l	Brachydanio rerio	OECD 203 (Fish,	
						Acute Toxicity	
						Test)	
12.1. Toxicity to daphnia:	EC50	48h	1-10	mg/l	Daphnia magna	OECD 202	
						(Daphnia sp.	
						Acute	
						Immobilisation	
	5050	701	4.40	4		Test)	
12.1. Toxicity to algae:	EC50	72h	1-10	mg/l	Scenedesmus	OECD 201 (Alga, Growth Inhibition	
					subspicatus		
12.2. Persistence and		28d	>70	%		Test) OECD 301 A	
degradability:		200	>10	70		(Ready	
degradability.						Biodegradability -	
						DOC Die-Away	
						Test)	
12.2. Persistence and		28d	>60	%		OECD 301 B	
degradability:		200		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		(Ready	
						Biodegradability -	
						Co2 Evolution	
						Test)	
12.2. Persistence and		28d	60	%		OECD 301 F	Analogous
degradability:						(Ready	conclusion
						Biodegradability -	
						Manometric	
						Respirometry Test)	
Other information:	DOC		620	mg/g			
Other information:	COD		2240	mg/g			

Titanium dioxide (in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 μm)



Page 12 of 15

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.09.2020 / 0004 Replacing version dated / version: 06.05.2018 / 0003 Valid from: 30.09.2020 PDF print date: 08.02.2021 Handreiniger fluessig

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Oncorhynchus	OECD 203 (Fish,	
					mykiss	Acute Toxicity	
12.1. Toxicity to daphnia:	LC50	48h	>100	mg/l	Daphnia magna	Test) OECD 202	
	2000	-011	2100	ing/i	Daprinia magna	(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to algae:	EC50	72h	16	mg/l	Pseudokirchneriell	U.S. EPA-600/9-	
				_	a subcapitata	78-018	
12.2. Persistence and							Not relevant for
degradability:							inorganic
							substances.
12.3. Bioaccumulative	BCF	42d	9,6				Not to be
potential:							expected
12.3. Bioaccumulative	BCF	14d	19-352				Oncorhynchus
potential:							mykiss
12.4. Mobility in soil:							Negative
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance
Toxicity to bacteria:			>5000	mg/l	Escherichia coli		
Toxicity to bacteria:	LC0	24h	>10000	mg/l	Pseudomonas		
					fluorescens		
Toxicity to annelids:	NOEC/NOEL		>1000	mg/kg	Eisenia foetida		
Water solubility:							Insoluble20°C

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 07 06 99 wastes not otherwise specified Recommendation: Sewage disposal shall be discouraged. Pay attention to local and national official regulations. E.g. dispose at suitable refuse site. **For contaminated packing material** Pay attention to local and national official regulations. Empty container completely. Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same manner as the substance.

## **SECTION 14: Transport information**

#### **General statements** 14.1. UN number: n.a. Transport by road/by rail (ADR/RID) 14.2. UN proper shipping name: 14.3. Transport hazard class(es): n.a. 14.4. Packing group: n.a. Classification code: n.a. LQ: n.a. 14.5. Environmental hazards: Not applicable Tunnel restriction code:

Transport by sea (IMDG-code)



Page 13 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.09.2020 / 0004 Replacing version dated / version: 06.05.2018 / 0003 Valid from: 30.09.2020 PDF print date: 08.02.2021 Handreiniger fluessig

14.2. UN proper shipping name: 14.3. Transport hazard class(es): n.a. 14.4. Packing group: n.a. Marine Pollutant: n.a 14.5. Environmental hazards: Not applicable Transport by air (IATA) 14.2. UN proper shipping name: 14.3. Transport hazard class(es): n.a. 14.4. Packing group: n.a. 14.5. Environmental hazards: Not applicable

#### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

**SECTION 15: Regulatory information** 

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

ആ

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

**SECTION 16: Other information** 

< 0.1%

Revised sections:

1, 3, 8, 11, 12, 15

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H351 Suspected of causing cancer by inhalation.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Skin Irrit. — Skin irritation Eye Dam. — Serious eye damage Aquatic Chronic - Hazardous to the aquatic environment - chronic Aquatic Acute - Hazardous to the aquatic environment - acute Carc. — Carcinogenicity

## Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate



- (78)
Page 14 of 15
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 30.09.2020 / 0004
Replacing version dated / version: 06.05.2018 / 0003
Valid from: 30.09.2020
PDF print date: 08.02.2021
Handreiniger fluessig
BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)
BSEF The International Bromine Council
bw body weight
CAS Chemical Abstracts Service CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances
and mixtures)
CMR carcinogenic, mutagenic, reproductive toxic
DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level
dw dry weight
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance
EC European Community
ECHA European Chemicals Agency
EEC European Economic Community
EINECS European Inventory of Existing Commercial Chemical Substances
ELINCS European List of Notified Chemical Substances
EN European Norms
EPA United States Environmental Protection Agency (United States of America)
etc. et cetera
EU European Union
EVAL Ethylene-vinyl alcohol copolymer
Fax. Fax number
gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals
GWP Global warming potential
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IBC (Code) International Bulk Chemical (Code)
IMDG-code International Maritime Code for Dangerous Goods
incl. including, inclusive
IUCLID International Uniform Chemical Information Database
IUPAC International Union for Pure Applied Chemistry
LC50 Lethal Concentration to 50 % of a test population
LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)
LQ Limited Quantities
MARPOL International Convention for the Prevention of Marine Pollution from Ships
n.a. not applicable
n.av. not available
n.c. not checked n.d.a. no data available
OECD Organisation for Economic Co-operation and Development
org. organic
PBT persistent, bioaccumulative and toxic
PE Polyethylene
PNEC Predicted No Effect Concentration
ppm parts per million
PVC Polyvinylchloride
REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration,
Evaluation, Authorisation and Restriction of Chemicals)
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List
Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International
Carriage of Dangerous Goods by Rail)
SVHC Substances of Very High Concern
Tel. Telephone UN RTDG United Nations Recommendations on the Transport of Dangerous Goods
VOC Volatile organic compounds
vPvB very persistent and very bioaccumulative
wwt wet weight
The statements made here should describe the product with regard to the necessary safety precautions - they are

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.



Page 15 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 30.09.2020 / 0004 Replacing version dated / version: 06.05.2018 / 0003 Valid from: 30.09.2020 PDF print date: 08.02.2021 Handreiniger fluessig

No responsibility.

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.